

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S391	1	"5600790".PN.	USPAT; USOCR	OR	OFF	2008/11/20 14:19
S392	1	"5872909".PN.	USPAT; USOCR	OR	OFF	2008/11/20 14:20
S393	1	"5978902".PN.	USPAT; USOCR	OR	OFF	2008/11/20 14:20
S405	14	( ( api or application near2 programming) ) near6 ( stor\$3 or load\$3 or insert\$3 or sav\$3 or put \$3 or import\$3 or plac\$3 or cop\$3 or copying) with test\$3 same ( transmit\$3 or transfer\$3 or submit\$3 or send\$3 or dispatch\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 14:55
S402	12380	( ( api or application near2 programming) or call\$3) near6 ( stor\$3 or load\$3 or insert\$3 or sav \$3 or put\$3 or import\$3 or plac\$3 or cop\$3 or copying) same test\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 14:53
S403	4840	( ( api or application near2 programming) or call\$3) near6 ( stor\$3 or load\$3 or insert\$3 or sav \$3 or put\$3 or import\$3 or plac\$3 or cop\$3 or copying) with test\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 14:54
S404	1002	( ( api or application near2 programming) or call\$3) near6 ( stor\$3 or load\$3 or insert\$3 or sav \$3 or put\$3 or import\$3 or plac\$3 or cop\$3 or copying) with test\$3 same ( transmit\$3 or transfer\$3 or submit\$3 or send\$3 or dispatch\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 14:55
S401	21131	( ( api or application near2 programming) or call\$3) with ( stor\$3 or load\$3 or insert\$3 or sav \$3 or put\$3 or import\$3 or plac\$3 or cop\$3 or copying) same test\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 14:53

S413	901	(( api\$3 or ( application near2 programming near2 interface\$3 ) ) & test\$3 ).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 15:10
S423	17	(( api\$3 or ( application near2 programming near2 interface\$3 ) ) near6 ( stor\$3 or insert\$3 or sav\$3 or put\$3 or import\$3 or plac\$3 or cop \$3 or copying) same (retriev\$3 or load\$3) & ( pass\$3 or transfer\$3 or transmit\$3 or transmitting or submitting or submit\$3 or send\$3 or dispatch\$3 ) ).AB.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 15:38
S424	690	(( api\$3 or ( application near2 programming near2 interface\$3 ) ) near6 ( stor\$3 or insert\$3 or sav\$3 or put\$3 or import\$3 or plac\$3 or cop \$3 or copying) same (retriev\$3 or load\$3) & ( api\$3 or ( application near2 programming near2 interface\$3 ) ) NEAR6 ( pass\$3 or transfer\$3 or transmit\$3 or transmitting or submitting or submit\$3 or send\$3 or dispatch\$3 ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 15:40
S422	12	(( api\$3 or ( application near2 programming near2 interface\$3 ) ) near6 ( stor\$3 or insert\$3 or sav\$3 or put\$3 or import\$3 or plac\$3 or cop \$3 or copying) same (retriev\$3 or load\$3) same ( pass\$3 or transfer \$3 or transmit\$3 or transmitting or submitting or submit\$3 or send\$3 or dispatch\$3 ) ).AB.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 15:33

S412	27	(( api\$ or ( application near2 programming near2 interface\$ ) ) near6 ( stor\$ or load\$ or insert\$ or sav\$ or put \$ or import\$ or plac\$ or cop\$ or copying) same test\$ ) .ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 15:02
S407	68	(( api\$ or application near2 programming) ) near6 ( stor\$ or load\$ or insert\$ or sav\$ or put \$ or import\$ or plac\$ or cop\$ or copying) same test\$ same ( transmit\$ or transfer\$ or submit\$ or send\$ or dispatch\$)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 14:57
S406	18	(( api\$ or application near2 programming) ) near6 ( stor\$ or load\$ or insert\$ or sav\$ or put \$ or import\$ or plac\$ or cop\$ or copying) with test\$ same ( transmit\$ or transfer\$ or submit\$ or send\$ or dispatch\$)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 14:55
S418	2037	( api\$ or ( application near2 programming near2 interface\$ ) ) near6 ( stor\$ or insert\$ or sav\$ or put\$ or import\$ or plac\$ or cop \$ or copying) same (retriev\$ or load\$)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 15:20
S420	638	( api\$ or ( application near2 programming near2 interface\$ ) ) near6 ( stor\$ or insert\$ or sav\$ or put\$ or import\$ or plac\$ or cop \$ or copying) same (retriev\$ or load\$) same ( pass\$ or transfer \$ or transmit\$ or transmitting or submitting or submit\$ or send\$ or dispatch\$ )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 15:24

S415	4171	( api\$3 or ( application near2 programming near2 interface\$3 ) ) near6 ( stor\$3 or load\$3 or insert\$3 or sav\$3 or put \$3 or import\$3 or plac\$3 or cop\$3 or copying) same (retriev\$3 or load \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 15:18
S409	726	( api\$3 or ( application near2 programming near2 interface\$3 ) ) near6 ( stor\$3 or load\$3 or insert\$3 or sav\$3 or put \$3 or import\$3 or plac\$3 or cop\$3 or copying) same test\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 14:59
S408	67	( api\$3 or ( application near2 programming near2 interface\$3 ) ) near6 ( stor\$3 or load\$3 or insert\$3 or sav\$3 or put \$3 or import\$3 or plac\$3 or cop\$3 or copying) same test\$3 same ( transmit\$3 or transfer\$3 or submit\$3 or send\$3 or dispatch\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 14:58
S411	283	( api\$3 or ( application near2 programming near2 interface\$3 ) ) near6 ( stor\$3 or load\$3 or insert\$3 or sav\$3 or put \$3 or import\$3 or plac\$3 or cop\$3 or copying) with test\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 15:01
S387	4	( API\$3 or ( application near3 programming near2 interface\$3) ) with class\$3 same ( address \$3 ) same channel\$3 same listen\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 12:59
S386	0	( API\$3 or ( application near3 programming near2 interface\$3) ) with class\$3 same ( address \$3 ) same channel\$3 same listen\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 12:59
S330	4647	( boot\$3 or initializat\$3 or start\$3) same ( generat \$3 or construct\$3 or creat \$3 or built\$3 or build\$3) near6 web\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 11:51

S332	1280	( boot\$3 or initializat\$3 or startup\$3) with ( generat\$3 or construct\$3 or creat\$3 or built\$3 or build\$3) near6 web\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 11:53
S344	1731	( boot\$3 or initializat\$3 or startup\$3 or reconfigur\$3 or CONFIGURATION OR RESETTNG) with ( generat\$3 or construct\$3 or creat\$3 or built\$3 or build\$3) near6 web\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 13:37
S345	153	( boot\$3 or initializat\$3 or startup\$3 or reconfigur\$3 or CONFIGURATION OR RESETTNG) with ( generat\$3 or construct\$3 or creat\$3 or built\$3 or build\$3) near6 web\$3 same new	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 13:38
S343	5569	( boot\$3 or initializat\$3 or startup\$3 or reconfigur\$3 or SET or CONFIGURATION OR RESETTNG) with ( generat\$3 or construct\$3 or creat\$3 or built\$3 or build\$3) near6 web\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 13:37
S342	156	( boot\$3 or initializat\$3 or startup\$3 or reconfigur\$3) with ( generat\$3 or construct\$3 or creat\$3 or built\$3 or build\$3) near6 web\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 13:24
S339	443	( boot\$3 or initializat\$3 or startup\$3) same ( generat\$3 or construct\$3 or creat\$3 or built\$3 or build\$3) near6 web\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 12:04
S340	128	( boot\$3 or initializat\$3 or startup\$3) with ( generat\$3 or construct\$3 or creat\$3 or built\$3 or build\$3) near6 web\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 12:04
S341	12	( boot\$3 or initializat\$3 or startup\$3) with ( generat\$3 or construct\$3 or creat\$3 or built\$3 or build\$3) near6 web\$3 same new	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 12:04

S349	45	( reboot\$3 or initializat\$3 or startup\$3 or RESETTNG or restart\$3 or reinitiali\$3 or reinitialaz\$3 ) with ( generat\$3 or construct\$3 or creat\$3 or built\$3 or build\$3) near6 (page\$3 or websit\$3) same web\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 14:00
S348	156	( reboot\$3 or initializat\$3 or startup\$3 or RESETTNG or restart\$3 or reinitiali\$3 or reinitialaz\$3 ) with ( generat\$3 or construct\$3 or creat\$3 or built\$3 or build\$3) near6 web\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 13:49
S347	25	( reboot\$3 or initializat\$3 or startup\$3 or RESETTNG or restart\$3 or reinitiali\$3 or reinitialaz\$3 ) with ( generat\$3 or construct\$3 or creat\$3 or built\$3 or build\$3) near6 web\$3 same new	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 13:46
S346	25	( reboot\$3 or initializat\$3 or startup\$3 or RESETTNG or restart\$3) with ( generat\$3 or construct\$3 or creat\$3 or built\$3 or build\$3) near6 web\$3 same new	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 13:45
S351	78	( reboot\$3 or RESETTNG or restart\$3 or reinitiali\$3 or reinitialaz\$3 ) same ( generat\$3 or construct\$3 or creat\$3 or built\$3 or build\$3) near6 (page\$3 or websit\$3) same web\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 14:03
S350	13	( reboot\$3 or RESETTNG or restart\$3 or reinitiali\$3 or reinitialaz\$3 ) with ( generat\$3 or construct\$3 or creat\$3 or built\$3 or build\$3) near6 (page\$3 or websit\$3) same web\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 14:01
S385	54	( time\$3 same command\$3 & appliance\$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 12:26

S383	119302	( time\$3 same command \$3 & sequence\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 12:25
S380	5	( time\$3 same command \$3 same appliance\$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 12:24
S384	5	( time\$3 same command \$3 same appliance\$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 12:25
S381	4064	( time\$3 same command \$3 same home\$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 12:24
S379	31890	( time\$3 same command \$3 same sequence\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 12:24
S382	1675	( time\$3 with command \$3 same home\$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 12:25
S478	20	( web\$3 near6 descriptor \$3) with ( (Java near3 Archive\$1) or JAR\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 16:04
S480	1	( web\$3 near6 descriptor \$3) with ( (Java near3 Archive\$1) or JAR\$3) & WSDL\$3 with ( stor\$3 or sav\$3 or plac\$3 or put\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 16:08
S479	2	( web\$3 near6 descriptor \$3) with ( (Java near3 Archive\$1) or JAR\$3) & WSDL\$3 with retriev\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 16:06

S377	248	( X10 same command\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 12:23
S378	118	( X10 with command\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 12:24
S388	2	("20020133807").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 13:17
S437	2	("20030220993").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 10:53
S475	2	("20030220993").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 15:56
S473	2	("20040054690").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 15:50
S462	2	("20040064503").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 15:31
S331	2	("20040117439").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 11:52
S458	2	("20050038708").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 15:08



S394	2	("20050080905").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 14:25
S355	1	("6085120").PN.	USPAT; USOCR	OR	OFF	2008/11/19 16:42
S395	2	("6938246").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 14:33
S354	1	("6948003").PN.	USPAT; USOCR	OR	OFF	2008/11/19 16:31
S353	1	("7,188163").PN.	USPAT; USOCR	OR	OFF	2008/11/19 15:48
S396	2	("7237230").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 14:35
S439	1	("7426733").PN.	USPAT; USOCR	OR	OFF	2008/11/24 11:52
L2	6916	(707/1).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 17:45
S2	9555	(709/203).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/10 11:26
L1	0	(709/310).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 17:45
S359	165	(710/24).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 12:20

S310	660	(711/200).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 10:45
S327	5654	(713/1,2,100).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 11:08
S389	1298	(717/124).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 14:13
L3	1094	(719/310).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 17:45
S97	1091	(719/310).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/13 10:27
S220	1093	(719/310).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/18 15:28
S311	1093	(719/310).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 10:46
S356	623	(719/310).CCLS.	USPAT; USOCR	OR	OFF	2008/11/20 12:16
S1	253	(719/312).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/10 11:26

S64	1639	(719/328).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/12 12:29
S416	2187	(719/328,330).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 15:19
S336	0	(next\$3 or sequenc\$3 or subsequec\$3 ) with ( boot \$3 or initializat\$3 or start \$3) same new same web \$3 with WSDL\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 12:01
S337	2	(next\$3 or sequenc\$3 or subsequec\$3 ) with ( boot \$3 or initializat\$3 or start \$3) same web\$3 with WSDL\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 12:01
S338	156	(next\$3 or sequenc\$3 or subsequenc\$3) with ( boot \$3 or initializat\$3 or start \$3) same ( generat\$3 or construct\$3 or creat\$3 or built\$3 or build\$3) near6 web\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 12:02
S333	343	(next\$3 or sequenc\$3 or subsequenc\$3) with ( boot \$3 or initializat\$3 or start \$3) same ( generat\$3 or construct\$3 or creat\$3 or built\$3 or build\$3) with web\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 11:54
S335	51	(next\$3 or sequenc\$3 or subsequenc\$3) with ( boot \$3 or initializat\$3 or start \$3) with ( generat\$3 or construct\$3 or creat\$3 or built\$3 or build\$3) near6 web\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 11:56
S334	132	(next\$3 or sequenc\$3 or subsequenc\$3) with ( boot \$3 or initializat\$3 or start \$3) with ( generat\$3 or construct\$3 or creat\$3 or built\$3 or build\$3) with web\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 11:54

S329	103	(next\$3 or sequenc\$3) near6 ( boot\$3 or initializat\$3 or start\$3) same ( generat\$3 or construct\$3 or creat\$3 or built\$3 or build\$3) near6 web\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 11:36
S326	108	(next\$3 or sequenc\$3) with ( boot\$3 or initializat \$3 or start\$3) same new same ( generat\$3 or construct\$3 or creat\$3 or built\$3 or build\$3) with web\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 11:05
S325	7	(next\$3 or sequenc\$3) with ( boot\$3 or initializat \$3 or start\$3) same new same ( generat\$3 or construct\$3 or creat\$3 or built\$3 or build\$3) with web\$3 & WSDL\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 10:59
S445	8	(web near2 service\$3) same register\$3 same retriev\$3 & (send\$3 or return\$3 or transfer\$3 or submitt\$3 or dispatch\$3) with retriev\$3 with regist \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 13:28
S444	86	(web near2 service\$3) same register\$3 same retriev\$3 & (send\$3 or return\$3) with retriev\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 12:19
S436	108	(web near2 service\$3) same register\$3 same retriev\$3 & invok\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/21 16:45
S441	108	(web near2 service\$3) same register\$3 same retriev\$3 & invok\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 12:04
S443	30	(web near2 service\$3) same register\$3 same retriev\$3 & invok\$3 with retriev\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 12:08

S433	21	(web near2 service\$3) same register\$3 same retriev\$3 same invok\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/21 15:45
S428	3	(web near2 service\$3) same OSGi same register \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/21 14:11
L13	0	1 & ( (web near2 service \$3) same register\$3 same retriev\$3 & invok\$3 with retriev\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 17:47
L6	2	2 & ( (web near2 service \$3) same register\$3 same retriev\$3 & (send\$3 or return\$3) with retriev\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 17:46
L12	2	2 & ( (web near2 service \$3) same register\$3 same retriev\$3 & invok\$3 with retriev\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 17:47
L4	1	2 & ( bundle\$3 same (web near2 service\$3) same register\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 17:46
L8	0	2 & ( wsdl\$3 near6 pars \$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 17:47
L10	0	2 & ( wsdl\$3 with pars\$3 & ( sav\$3 or stor\$3 or kepp\$3) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 17:47
L14	0	2 & ( wsdl\$3 with pars\$3 & ( sav\$3 or stor\$3 or kepp\$3) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 17:48

L17	0	2 & ( wsdI\$3 with pars\$3 with (list or package\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 17:48
L7	1	3 & ( (web near2 service\$3) same register\$3 same retriev\$3 & (send\$3 or return\$3) with retriev\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 17:46
L5	0	3 & ( bundle\$3 same (web near2 service\$3) same register\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 17:46
L9	2	3 & ( wsdI\$3 near6 pars\$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 17:47
L11	2	3 & ( wsdI\$3 with pars\$3 & ( sav\$3 or stor\$3 or kepp\$3) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 17:47
L15	2	3 & ( wsdI\$3 with pars\$3 & ( sav\$3 or stor\$3 or kepp\$3) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 17:48
L18	0	3 & ( wsdI\$3 with pars\$3 with (list or package\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 17:48
S358	301	710/24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 12:19
S357	5	711/24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 12:17

S430	16	bundle\$3 same (web near2 service\$3) same register\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/21 14:11
S427	4	bundle\$3 same (web near2 service\$3) same register\$3 & OSGi	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/21 14:10
S429	4	bundle\$3 same (web near2 service\$3) same register\$3 & OSGi	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/21 14:11
S426	3	bundle\$3 same (web near2 service\$3) same OSGi same register\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/21 14:08
S434	146	prox\$3 same (web near2 service\$3) same register \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/21 15:50
S435	103	prox\$3 same (web near2 service\$3) same register \$3 & invok\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/21 16:07
S432	27	prox\$3 same (web near2 service\$3) same register \$3 same invok\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/21 14:21
S465	125263	retriev\$3 with wsdI\$3 with ( stor\$3 or sav\$3 or put\$3) Java NAER3 Archive\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 15:41
S466	57646	retriev\$3 with wsdI\$3 with ( stor\$3 or sav\$3 or put\$3) with Java NAER3 Archive\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 15:41

S467	0	retriev\$3 with wsd!\$3 with ( stor\$3 or sav\$3 or put\$3) with Java near3 Archive\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 15:41
S464	57652	retriev\$3 with wsd!\$3 with Java NAER3 Archive \$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 15:40
S318	0	S310 & ( threshod!\$3 ) with packet\$3 with buffer \$3 with (copy\$3 or clon \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 10:48
S314	0	S310 & (virtual near3 machine\$3) same interrup \$3 same ( expiration with (time\$3 or interval\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 10:47
S312	4	S310 & (virtual near3 machine\$3) same monito \$3 same interrup\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 10:46
S323	1	S310 & buffer\$3 near6 (copy\$3 or clon\$3) with packet\$3 with (finish\$3 or complet\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 10:49
S316	1	S310 & buffer\$3 near6 (copy\$3 or clon\$3) with packet\$3 with (finish\$3 or complet\$3) & threshold\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 10:47
S322	1	S310 & buffer\$3 near6 (copy\$3 or clon\$3) with packet\$3 with (finish\$3 or complet\$3) & threshold\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 10:48
S320	0	S310 & virtual near3 machine\$3 with ( inform \$3 or notif\$3 or notic\$3 or acknowledg\$3 or indicat\$3 ) same satisf\$3 & (buffer\$3 or queue\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 10:48



S315	0	S311 & (virtual near3 machine\$3) same interrup\$3 same ( expiration with (time\$3 or interval\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 10:47
S313	1	S311 & (virtual near3 machine\$3) same monito\$3 same interrup\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 10:47
S319	0	S311 & buffer\$3 near6 (copy\$3 or clon\$3) with packet\$3 with (finish\$3 or complet\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 10:48
S324	0	S311 & buffer\$3 near6 (copy\$3 or clon\$3) with packet\$3 with (finish\$3 or complet\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 10:49
S317	0	S311 & buffer\$3 near6 (copy\$3 or clon\$3) with packet\$3 with (finish\$3 or complet\$3) & threshold\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 10:47
S321	0	S311 & virtual near3 machine\$3 with ( inform\$3 or notif\$3 or notic\$3 or acknowledg\$3 or indicat\$3 ) same satisf\$3 & (buffer\$3 or queue\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 10:48
S328	0	S326 & S327	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 11:09
S369	0	S356 & ( time\$3 same command\$3 & appliance\$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 12:22
S368	27	S356 & ( time\$3 same command\$3 & home\$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 12:22

S376	86	S356 & ( time\$3 same command\$3 & sequence \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 12:23
S372	0	S356 & ( time\$3 same command\$3 same appliance\$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 12:22
S365	0	S356 & ( time\$3 same command\$3 same home \$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 12:21
S373	24	S356 & ( time\$3 same command\$3 same sequence\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 12:23
S364	137	S356 & ( time\$3 same command\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 12:21
S360	0	S356 & ( X10 same command\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 12:20
S370	0	S359 & ( time\$3 same command\$3 & appliance \$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 12:22
S367	6	S359 & ( time\$3 same command\$3 & home\$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 12:22
S375	51	S359 & ( time\$3 same command\$3 & sequence \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 12:23

S371	0	S359 & ( time\$3 same command\$3 same appliance\$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 12:22
S366	1	S359 & ( time\$3 same command\$3 same home \$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 12:21
S374	21	S359 & ( time\$3 same command\$3 same sequence\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 12:23
S363	77	S359 & ( time\$3 same command\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 12:21
S362	0	S359 & ( X10 & command \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 12:21
S361	0	S359 & ( X10 same command\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 12:21
S390	22	S389 & ( ( api or application near2 programming) or call\$3) same ( stor\$3 or load\$3 or insert\$3 or sav\$3 or put \$3 or import\$3 ) same test\$3 same communication\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 14:15
S397	124	S389 & ( ( api or application near2 programming) or call\$3) with ( stor\$3 or load\$3 or insert\$3 or sav\$3 or put \$3 or import\$3 ) same test\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 14:38

S400	141	S389 & ( ( api or application near2 programming) or call\$3) with ( stor\$3 or load\$3 or insert\$3 or sav\$3 or put \$3 or import\$3 or plac\$3 or cop\$3 or copying) same test\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 14:46
S399	138	S389 & ( ( api or application near2 programming) or call\$3) with ( stor\$3 or load\$3 or insert\$3 or sav\$3 or put \$3 or import\$3 or plac\$3 or cop\$3) same test\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 14:46
S398	134	S389 & ( ( api or application near2 programming) or call\$3) with ( stor\$3 or load\$3 or insert\$3 or sav\$3 or put \$3 or import\$3 or plac\$3) same test\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 14:43
S410	33	S389 & ( api\$3 or ( application near2 programming near2 interface\$3 ) ) near6 ( stor\$3 or load\$3 or insert\$3 or sav\$3 or put \$3 or import\$3 or plac\$3 or cop\$3 or copying) same test\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 15:00
S414	45	S413 & S409	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 15:10
S417	212	S415 & S416	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 15:20
S419	109	S418 & S416	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 15:20

S421	42	S420 & S416	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 15:25
S425	70	S424 & S416	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 15:41
S438	2	S437 & strateg\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 10:53
S440	1	S439 & regist\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 11:52
S442	1	S441 & S439	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 12:04
S474	1	S473 & WSDL\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 15:50
S476	1	S475 & retriev\$3 same WSDL\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 15:56
S477	1	S475 & WSDL\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 15:57

S352	6	snapshot\$3 & ( reboot\$3 or RESETTNG or restart\$3 or reinitial\$3 or reinitialaz\$3 ) same ( generat\$3 or construct\$3 or creat\$3 or built\$3 or build\$3) near6 (page\$3 or websit\$3) same web\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 15:43
S457	95	wsdl\$3 near6 pars\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 15:08
S460	1	wsdl\$3 near6 retrieved same JAR\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 15:17
S459	1	wsdl\$3 near6 retrieved with JAR\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 15:17
S472	46	wsdl\$3 same ( (Java near3 Archive\$1) or JAR\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 15:44
S471	12	wsdl\$3 with ( (Java near3 Archive\$1) or JAR\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 15:42
S468	1	wsdl\$3 with ( stor\$3 or sav\$3 or put\$3) with Java near3 Archive\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 15:41
L16	12	wsdl\$3 with (Java near3 Archive\$1 or JAR\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 17:48

S470	12	wSDL\$3 with (Java near3 Archive\$1 or JAR\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 15:42
S461	12	wSDL\$3 with JAR\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 15:17
S463	31038	wSDL\$3 with Java NAER3 Archive	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 15:40
S469	3	wSDL\$3 with Java near3 Archive\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 15:41
S447	2	wSDL\$3 with list with package\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 14:01
S449	126	wSDL\$3 with pars\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 14:04
S454	117	wSDL\$3 with pars\$3 & ( sav\$3 or stor\$3 or kep \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 14:25
S453	117	wSDL\$3 with pars\$3 & ( sav\$3 or stor\$3 or kepp \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 14:25
S452	15	wSDL\$3 with pars\$3 & ( sav\$3 or stor\$3 or kepp \$3) with parse\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 14:18

S456	25	wSDL\$3 with pars\$3 same ( sav\$3 or stor\$3 or kep \$3 or plac\$3 or put\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 14:28
S455	20	wSDL\$3 with pars\$3 same ( sav\$3 or stor\$3 or kep \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 14:26
S451	20	wSDL\$3 with pars\$3 same ( sav\$3 or stor\$3 or kepp \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 14:07
S450	10	wSDL\$3 with pars\$3 same ( sav\$3 or stor\$3 or kepp \$3) with WSDL\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 14:04
S448	10	wSDL\$3 with pars\$3 with (list or package\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 14:01
S446	1	wSDL\$3 with pars\$3 with list with package\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 14:00

11/24/2008 5:50:10 PM

C:\Documents and Settings\ltruong3\My Documents\EAST\Workspaces\guest.wsp